



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## **ARDON®TABERTIN S3L**

SAFETY SHOES



**WINTER**



**WATER  
REPELLENT**



**REFLECTIVE**

**3M**  
**Thinsulate™**  
**INSULATION**



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON®TABERTIN S3L

SAFETY SHOES

## ARTICLE

**G3451**

## MATERIAL

Upper  
Lining  
Sole

cowhide leather with SPLIT LEATHER design, hydrophobic  
textile Thinsulate™ insulation  
PU/rubber, two-component spray coating, oil resistant, anti-static, antislip,  
resistant up to 300 ° C  
composite  
kevlar  
polar foam

Toe cap  
Plate  
Insole

## SIZE

37-48

## UNIT

pair

## PACKAGE

Units in a carton

10 pairs

Units in a box

1 pair

## DIMENSIONS

Carton H x W x D  
(cm)

37-43  
61,5 x 51,5 x 33,5

44-48  
64 x 53,5 x 37

Carton (cbm)

0,1061

0,1267

Size EUR

35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51

Insole length mm

- - 238 245 251 258 265 271 278 285 291 298 305 311 - - -

Foot length cm

- - 22,8 23,5 24,1 24,8 25,5 26,1 26,8 27,5 28,1 28,8 29,5 30,1 - - -

## DESCRIPTION

Winter safety ankle boots with a hydrophobic bovine leather upper. The interior Thinsulate™ lining provides reliable thermal insulation. The polar foam insole effectively protects against ground cold. Dual-density PU/rubber outsole. Equipped with non-metallic safety components.

## NORMS

(EU) 2016/425

EN ISO 20345:2022+A1 2024

Personal protective equipment –Safety footwear

Category

S3L SR FO HRO CI HI

### Categories

### EN ISO 20345

E - energy absorption in the heel area

✓



FO - resistance to oils and fuels

✓



A - antistatic footwear

✓



SR - resistance to slipping on ceramic floor tiles with SLS  
and on steel floors with glycerin

✓



The shoes do not contain metal parts



Safety toe cap for toe protection

✓



P - resistance to punctures (protective insole)

✓



WPA – water penetration and absorption

✓



HRO - resistance to contact heatup to 300 °C

✓



HI-insulation of the bottom of the shoe against heat

✓



CI-insulation of the bottom of the shoe against the cold

✓



Splatters of molten metal



ESD – shoe protects against electrostatic discharge and can  
be used on EPA premises



-

-

-



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

| CODE     | EAN           | CARTON WEIGHT<br>(KG) | UNIT WEIGHT<br>(KG) |
|----------|---------------|-----------------------|---------------------|
| G3451/37 | 8592390387790 | 14,75                 | 1,475               |
| G3451/38 | 8592390387806 | 15,05                 | 1,505               |
| G3451/39 | 8592390387813 | 15,65                 | 1,565               |
| G3451/40 | 8592390387820 | 16,20                 | 1,620               |
| G3451/41 | 8592390387837 | 16,50                 | 1,650               |
| G3451/42 | 8592390387844 | 17,15                 | 1,715               |
| G3451/43 | 8592390387851 | 17,65                 | 1,765               |
| G3451/44 | 8592390387868 | 18,65                 | 1,865               |
| G3451/45 | 8592390387875 | 19,05                 | 1,905               |
| G3451/46 | 8592390387882 | 19,80                 | 1,980               |
| G3451/47 | 8592390387899 | 20,20                 | 2,020               |
| G3451/48 | 8592390387905 | 20,75                 | 2,075               |



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**

**WORKWEAR  
& OUTDOOR**

