



ARDON®
WORKWEAR
& OUTDOOR

ARDON® HOBART S3

SAFETY SHOES



TECHNICAL SHEET



DRY AIR



NONMETALLIC



WATER
REPELLENT



ANTIBACTERIAL



REFLECTIVE



ARDON[®]
WORKWEAR
 & **OUTDOOR**

ARDON[®] HOBART S3

SAFETY SHOES

ARTICLE G3216

MATERIAL

Upper First layer cowhide leather 1.8-2 mm, hydrophobic
 Lining MESH-type laminated breathable fabric
 Sole PU/rubber Superline, direct injection
 Toe cap Fibreglass 522
 Plate Kevlar
 Insole ANATOMIC FOAM – anatomically shaped from EVA foam, antistatic, antibacterial, ESD

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

36-48
 Carton H x W x D (cm) 36,5 x 48 x 65,5
 Carton (cbm) 0,115



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm		240	247	253	260	265	273	279	286	293	303	307	318	323			
Foot length cm		23,0	23,7	24,3	25,0	25,5	26,3	26,9	27,6	28,3	29,3	29,7	30,8	31,3			

DESCRIPTION

Safety boots with an upper made of high-quality cowhide leather, leather tongue and ankle area, hydrophobic, reinforcement in the heel area, with fiberglass toe cap and Kevlar insole. PU/rubber sole resistant to contact heat up to 300°C.



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category: S3 HRO HI CI SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C	✓	
insulation of the bottom of the shoe against heat	✓	
insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts	✓	
-		
-		
-		

TECHNICAL SHEET





ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3216/36	8592390080578	15.26	1.526
G3216/37	8592390080585	15.51	1.551
G3216/38	8592390080592	15.76	1.576
G3216/39	8592390080608	16.00	1.600
G3216/40	8592390080615	16.26	1.626
G3216/41	8592390080622	16.51	1.651
G3216/42	8592390080639	16.76	1.676
G3216/43	8592390080646	17.01	1.701
G3216/44	8592390080653	17.26	1.726
G3216/45	8592390080660	17.51	1.751
G3216/46	8592390080677	17.76	1.776
G3216/47	8592390080684	18.00	1.800
G3216/48	8592390080691	18.26	1.826





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET