



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FIRLOW TREK S1P

SAFETY SHOES



DRY AIR

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

ARDON[®] FIRLOW TREK S1P

SAFETY SHOES

ARTICLE G3304

MATERIAL

Upper brushed cowhide VELUR
 Lining MESH laminated breathable fabric
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
 Toe cap steel 522X
 Plate steel
 Insole BASIC

SIZE 35-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	35-42	43-46	47-48
Carton H x W x D (cm)	59,5 x 32,5x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	232	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
Foot length cm	22,7	23,4	24,1	24,7	25,4	26,1	26,7	27,4	28,1	28,7	29,4	30,1	30,7	31,4	-	-	-

DESCRIPTION

Safety low shoes in trekking design with suede upper. Two--component polyurethane sole.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S1P SRA

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3304/35	8592390105783	12.2	1.22
G3304/36	8592390103543	12.23	1.223
G3304/37	8592390103550	12.25	1.225
G3304/38	8592390103567	12.29	1.229
G3304/39	8592390103574	12.31	1.231
G3304/40	8592390103581	12.35	1.235
G3304/41	8592390103598	12.45	1.245
G3304/42	8592390103604	12.51	1.251
G3304/43	8592390103611	12.53	1.253
G3304/44	8592390103628	12.58	1.258
G3304/45	8592390103635	12.61	1.261
G3304/46	8592390103642	12.64	1.264
G3304/47	8592390103659	12.69	1.269
G3304/48	8592390103666	12.71	1.271





ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET