



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® DIGGER S1P

SAFETY SHOES



TECHNICAL SHEET



**DRY AIR**



**DEFUSE CONTROL**



**NONMETALLIC**



**REFLECTIVE**



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® DIGGER S1P

SAFETY SHOES

**ARTICLE** G3161

**MATERIAL**

Upper MICROFIBER / CANVAS type fabrics  
 Lining MESH laminated breathable fabric  
 Sole MD/rubber/TPU, glued technology  
 Toe cap composite 885  
 Plate kevlar  
 Insole ANATOMIC FOAM anatomically shaped EVA foam

**SIZE**

36-48

**UNIT**

pair

**PACKAGE**

Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

Carton H x W x D (cm)  
 Carton (cbm)

|                       | 36-43          | 44-48          |
|-----------------------|----------------|----------------|
| Carton H x W x D (cm) | 34 x 48.5 x 63 | 37 x 52.5 x 63 |
| Carton (cbm)          | 0,104          | 0,122          |

| Size EUR         | 35 | 36   | 37   | 38   | 39   | 40   | 41   | 42   | 43   | 44   | 45   | 46   | 47   | 48   | 49 | 50 | 51 |
|------------------|----|------|------|------|------|------|------|------|------|------|------|------|------|------|----|----|----|
| Insole length mm | -  | 238  | 244  | 251  | 258  | 264  | 271  | 278  | 284  | 291  | 298  | 304  | 311  | 318  | -  | -  | -  |
| Foot length cm   | -  | 23,3 | 23,9 | 24,6 | 25,3 | 25,9 | 26,6 | 27,3 | 27,9 | 28,6 | 29,3 | 29,9 | 30,6 | 31,3 | -  | -  | -  |

**DESCRIPTION**

Low shoes in sports design. Breathable upper is made of solid fabric and microfiber, the toe cap is reinforced with PU. Wearing comfort is increased by padding the tongue and the area around the heel and ankle, but mainly the shoes are equipped with an anatomically shaped insole, made of a material that effectively dampens the impact of the tread and ensures comfort even during long-term wear. The sole made of a combination of MD / rubber / TPU material ensures a soft tread and at the same time provides the highest level of anti-slip properties.

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment – Safety footwear

Category S1P SRC

| Categories   | EN ISO 20345 |  |
|--|--------------|--|
| E - energy absorption in the heel area   | ✓            |  |
| FO - resistance to oils and fuels  | ✓            |  |
| A - antistatic footwear  | ✓            |  |
| SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin | ✓            |  |
| WR - upper resistant to water  |              |  |
| Safety toe cap for toe protection  | ✓            |  |
| P - resistance to punctures (protective insole)  | ✓            |  |
| SRA - slip resistance ceramic floor tiles with SLS   |              |  |
| HRO - resistance to contact heat up to 300 °C  |              |  |
| HI-insulation of the bottom of the shoe against heat   |              |  |
| CI-insulation of the bottom of the shoe against the cold                                       |              |  |
| Splatters of molten metal  |              |  |
| ESD – shoe protects against electrostatic discharge and can be used on EPA premises            |              |  |
| The shoes do not contain metal parts   | ✓            |  |
| -  |              |  |
| -  |              |  |
| -  |              |  |

TECHNICAL SHEET



**ARDON®**

**WORKWEAR  
& OUTDOOR**

| <b>CODE</b> | <b>EAN</b>    | <b>CARTON WEIGHT<br/>(KG)</b> | <b>UNIT WEIGHT<br/>(KG)</b> |
|-------------|---------------|-------------------------------|-----------------------------|
| G3161/36    | 8592390157393 | 12.50                         | 1.250                       |
| G3161/37    | 8592390157409 | 12.70                         | 1.270                       |
| G3161/38    | 8592390157416 | 12.90                         | 1.290                       |
| G3161/39    | 8592390068620 | 13.10                         | 1.310                       |
| G3161/40    | 8592390068637 | 13.30                         | 1.330                       |
| G3161/41    | 8592390068644 | 13.60                         | 1.360                       |
| G3161/42    | 8592390068651 | 13.90                         | 1.390                       |
| G3161/43    | 8592390068668 | 14.20                         | 1.420                       |
| G3161/44    | 8592390068675 | 14.70                         | 1.470                       |
| G3161/45    | 8592390068682 | 15.60                         | 1.560                       |
| G3161/46    | 8592390068699 | 16.00                         | 1.600                       |
| G3161/47    | 8592390068705 | 16.30                         | 1.630                       |
| G3161/48    | 8592390068712 | 16.60                         | 1.660                       |







**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET