



ARDON®
WORKWEAR
& OUTDOOR

ARDON® VALI S2

SAFETY SHOES



DRY AIR



WASH-FRIENDLY



ZIPPERS

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® VALI S2

SAFETY SHOES

ARTICLE G1266

MATERIAL

Upper MICROFIBER with a thickness of 1,6 mm
 Lining MESH laminated breathable fabric
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
 Toe cap steel 459
 Plate -
 Insole BASIC

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-42	43-48	
Carton H x W x D (cm)	61 x 33,5 x 40,5	64,5 x 35,5 x 42,5	
Carton (cbm)	0,0828	0,0973	

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	234	241	247	254	261	267	274	281	287	294	301	307	314	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-

DESCRIPTION

White safety moccasin with microfiber upper and steel toe cap. Two-component polyurethane sole with the highest level of anti-slip protection.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Safety footwear

Category S2 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1266/36	8592390061232	10.6	1.06
G1266/37	8592390061249	10.8	1.08
G1266/38	8592390061256	11,0	1.10
G1266/39	8592390061263	11.2	1.12
G1266/40	8592390061270	11.6	1.16
G1266/41	8592390061287	11.8	1.18
G1266/42	8592390061294	12,0	1.20
G1266/43	8592390061300	12.2	1.22
G1266/44	8592390061317	12.8	1.28
G1266/45	8592390061324	13.1	1.31
G1266/46	8592390061331	13.5	1.35
G1266/47	8592390061348	13.8	1.38
G1266/48	8592390061355	14.1	1.41





ARDON®
WORKWEAR
& OUTDOOR





ARDON[®]
WORKWEAR
& OUTDOOR



TECHNICAL SHEET