



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FIRSTY O1

WORKING SHOES



**DRY AIR**



**REFLECTIVE**

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FIRSTY O1

WORKING SHOES

**ARTICLE** G1181

**MATERIAL**

Upper  
 Lining  
 Sole  
 Toe cap  
 Plate  
 Insole

**SIZE**


**UNIT**

**PACKAGE**

Units in a carton  
 Units in a box

**DIMENSIONS**

Carton H x W x D  
 (cm)  
 Carton (cbm)



antislip



	35-42	43-46	47-50
Carton H x W x D (cm)	59,5 x 32,5 x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	232	239	246	252	259	266	272	279	286	292	299	306	312	319	326	332	-
Foot length cm	22,2	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	31,6	32,2	-

**DESCRIPTION**

Ankle boots with two-component polyurethane soles.

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
 & **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2012

Personal protective equipment - Occupational footwear

Category

O1 SRA

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin		
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS	✓	
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G1181/35	8592390127969	12.6	1.26
G1181/36	8592390032423	12.65	1.265
G1181/37	8592390032430	12.69	1.269
G1181/38	8592390032447	12.72	1.272
G1181/39	8592390032454	12.76	1.276
G1181/40	8592390032461	12.82	1.282
G1181/41	8592390032478	12.87	1.287
G1181/42	8592390032485	12.91	1.291
G1181/43	8592390032492	12.95	1.295
G1181/44	8592390032508	12.98	1.298
G1181/45	8592390032515	13.01	1.301
G1181/46	8592390032522	13.15	1.315
G1181/47	8592390032539	13.19	1.319
G1181/48	8592390032546	13.21	1.321
G1181/49	8592390096128	13.25	1.325
G1181/50	8592390096135	13.28	1.328





**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**

**WORKWEAR  
& OUTDOOR**



TECHNICAL SHEET