



**ARDON**<sup>®</sup>  
**WORKWEAR**  
& **OUTDOOR**

# ARDON<sup>®</sup> WELDER 01

WORKING SHOES



**DRY AIR**



**FOOT COMFORT**



**ZIPPERS**

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

# ARDON<sup>®</sup> WELDER 01

WORKING SHOES

**ARTICLE** G3292

**MATERIAL**

Upper brushed cowhide VELUR  
 Lining MESH laminated breathable fabric  
 Sole PU/rubber two-component coating, oil resistant, antistatic, resistant up to 300 ° C  
 Toe cap -  
 Plate -  
 Insole ANATOMIC FOAM - anatomically shaped EVA foam, supports longitudinal and transverse arches, absorbs shocks in the heel area

**SIZE**

38-48

**UNIT**

pair

**PACKAGE**

Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

	35-42	43-48
Carton H x W x D (cm)	59,5 x 32,5 x 37,5	67 x 37,5 x 65,5
Carton (cbm)	0,0725	0,1646

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	-	-	253	259	266	273	280	287	293	300	306	313	-	-	-	-
Foot length cm	-	-	-	24,3	24,9	25,6	26,3	27	27,7	28,3	29	29,6	30,3	-	-	-	-

**DESCRIPTION**

Special foundry shoes with an extra wide sole resistant to contact heat up to 300 ° C and with an upper made of suede leather. The ANATOMIC FOAM insole ensures increased comfort of the shoes.

TECHNICAL SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
& **OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2022

Personal protective equipment - Occupational footwear

Category

O1 SR HRO FO

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR- resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		



**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3292/38	8592390098856	18.3	1.832
G3292/39	8592390098740	18.4	1.839
G3292/40	8592390098757	18.5	1.852
G3292/41	8592390098764	18.6	1.864
G3292/42	8592390098771	18.8	1.875
G3292/43	8592390098788	18.8	1.879
G3292/44	8592390098795	18.9	1.885
G3292/45	8592390098801	18.9	1.889
G3292/46	8592390098818	18.9	1.891
G3292/47	8592390098825	19.0	1.901
G3292/48	8592390098832	19.2	1.925





**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**





**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

