



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LEADER O2

OCCUPATIONAL SHOES



TECHNICAL SHEET



**DEFUSE
CONTROL**



DRY AIR



**WATER
REPELLENT**



REFLECTIVE



NONMETALLIC



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LEADER O2

OCCUPATIONAL SHOES

ARTICLE G3423

MATERIAL

Upper NUBUCK cowhide leather, thickness 1.8 - 2 mm, hydrophobic /fabric
 Lining MESH-type laminated breathable fabric
 Sole PU/PU, direct injection
 Insole ANATOMIC FOAM – anatomically shaped from EVA foam

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-42	43-48	
Carton H x W x D (cm)	34 x 48 x 65	37 x 50 x 69	
Carton (cbm)	0,106	0,128	



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	246	252	259	266	272	278	286	291	298	306	312	319	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,8	27,6	28,1	28,8	29,6	30,2	30,9	-	-	-

DESCRIPTION

Working shoes with an upper made of high-quality NUBUCK leather, hydrophobic and fabric, reflective strip for higher visibility, dual-density polyurethane sole.



ARDON®
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20347:2022 Personal protective equipment - Occupational footwear

Category: O2 CI FO SR

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	SR
WR - upper resistant to water	✓	
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		SRA
HRO - resistance to contact heatup to 300 °C		
insulation of the bottom of the shoe against heat		HI
insulation of the bottom of the shoe against the cold	✓	CI
Splatters of molten metal		WG
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts	✓	0% METAL
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3423/36	8592390358462	12,58	1,258
G3423/37	8592390358479	13,28	1,328
G3423/38	8592390355409	13,50	1,350
G3423/39	8592390355416	13,90	1,390
G3423/40	8592390355423	14,46	1,446
G3423/41	8592390355430	14,72	1,472
G3423/42	8592390355447	15,54	1,554
G3423/43	8592390355454	16,00	1,600
G3423/44	8592390355461	16,76	1,676
G3423/45	8592390355478	17,26	1,726
G3423/46	8592390355485	17,84	1,784
G3423/47	8592390355492	18,08	1,808
G3423/48	8592390355508	18,90	1,890



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET