



ARDON[®]
WORKWEAR
& OUTDOOR

ARDON[®] REFIWAN[®] SAN S1PS ESD

SAFETY SHOES



DRY AIR



REFLECTIVE



ZIPPERS



DEFUSE
CONTROL



NONMETALLIC



ESD

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® REFIWAN® SAN S1PS ESD

SAFETY SHOES

ARTICLE **G3501**

MATERIAL

Upper MESH textile / MICROFIBER synthetic fibre / TPU
 Lining MESH-type laminated breathable fabric
 Outsole PHYLON/RUBBER, glued technology
 Toe cap Carbon
 Plate Kevlar
 Insole Anatomic Hi-Poly foam

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-42	43-48	
Carton H x W x D (cm)	41,5 x 59,5 x 33,5	43,5 x 64,5 x 37,5	
Carton (cbm)	0,0827	0,1052	

TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm		232	239	246	252	259	266	272	279	286	292	299	306	312	-	-	-
Foot length cm		22,7	23,4	24,1	24,7	25,4	26,1	26,7	27,4	28,1	28,7	29,4	30,1	30,7	-	-	-

DESCRIPTION

Lightweight sandal in a sporty design with a quick-closing system of flexible lacing. The ventilation holes are protected by a light mesh that prevents entering dirt inside of the shoe. The footwear is suitable for both indoor and light outdoor use.



ARDON
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20345:2022 Personal protective equipment - Safety footwear

Category: S1PS SR FO ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
insulation of the bottom of the shoe against heat		
insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
The shoes do not contain metal parts	✓	
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3501/36	8592390353368	8,80	0,880
G3501/37	8592390353375	9,20	0,920
G3501/38	8592390353382	9,60	0,960
G3501/39	8592390353399	10,00	1,000
G3501/40	8592390353405	10,40	1,040
G3501/41	8592390353412	10,80	1,080
G3501/42	8592390353429	11,20	1,120
G3501/43	8592390353436	11,90	1,190
G3501/44	8592390353443	12,30	1,230
G3501/45	8592390353450	12,70	1,270
G3501/46	8592390353467	13,10	1,310
G3501/47	8592390353474	13,50	1,350
G3501/48	8592390353481	13,90	1,390



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET