



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BRIMSAN S1PS ESD

SAFETY SHOES



DRY AIR



NONMETALLIC



ZIPPERS



ESD



DEFUSE
CONTROL



WATER
REPELLENT

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BRIMSAN S1PS ESD

SAFETY SHOES

ARTICLE G3444

MATERIAL

Upper MICROFIBER synthetic fibre, 1,4 mm / TPU
 Lining laminated breathable fabric MESH
 Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap composite
 Plate kevlar
 Insole EVA with shock absorbing construction

SIZE

35-48

UNIT

pair

PACKAGE

Units in a carton 10 pairs

Units in a box 1 pair

DIMENSIONS

	35-42	43-48
Carton H x W x D (cm)	61,5 x 41,5 x 33,5	64 x 43,5 x 36,5
Carton (cbm)	0,086	0,102

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	233	240	247	253	260	267	274	280	287	294	300	307	313	320	-	-	-
Foot length cm	22,8	23,5	24,2	24,8	25,5	26,2	26,9	27,5	28,2	28,9	29,5	30,2	30,8	31,5	-	-	-

DESCRIPTION

Safety sandal with a microfiber upper and TPU, featuring a composite toe cap and a elastic drawstring for easy width adjustment. The sole is made of dual-density PU/PU material. The ESD design protects against electrostatic discharge, making the sandal suitable for use in EPA (Electrostatic Protected Area) environments.



ARDON®
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20345:2022+A1 2024 Personal protective equipment –Safety footwear

Category S1PS SR FO ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
The shoes do not contain metal parts	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
WPA – water penetration and absorption		
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3444/35	8592390380142	11,24	1,124
G3444/36	8592390380159	11,38	1,138
G3444/37	8592390380166	11,74	1,174
G3444/38	8592390380173	12,30	1,230
G3444/39	8592390380180	12,90	1,290
G3444/40	8592390380197	13,45	1,345
G3444/41	8592390380203	13,70	1,370
G3444/42	8592390380210	14,02	1,402
G3444/43	8592390380227	14,45	1,445
G3444/44	8592390380234	14,80	1,480
G3444/45	8592390380241	15,10	1,151
G3444/46	8592390380258	15,55	1,555
G3444/47	8592390380265	16,00	1,600
G3444/48	8592390380272	16,45	1,645



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET