



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BRIMIC O2 ESD

WORKING SHOES



DRY AIR



WATER
REPELLENT



DEFUSE
CONTROL



NONMETALLIC



ESD

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BRIMIC O2 ESD

WORKING SHOES

ARTICLE

G3448

MATERIAL

Upper MICROFIBER synthetic fibre, 1,4 mm / TPU
Lining MESH-type laminated breathable fabric
Outsole PU/PU, two-component coating, oil resistant, antistatic, anti-slip
Toe cap x
Plate x
Insole EVA with shock absorbing construction

SIZE

35-48

UNIT

pair

PACKAGE

Units in a carton 10 pairs
Units in a box 1 pair

DIMENSIONS

	35-42	43-48
Carton H x W x D (cm)	33,5 x 41,5 x 61,5	36,5 x 43,5 x 64
Carton (cbm)	0,0855	0,1016

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	233	240	247	253	260	267	273	280	287	293	300	307	313	320	-	-	-
Foot length cm	22,8	23,5	24,2	24,8	25,5	26,2	26,8	27,5	28,2	28,8	29,5	30,2	30,8	31,5	-	-	-

DESCRIPTION

Work low shoe with a microfiber upper featuring a brushed finish for general use. The heel is stabilized with a TPU protector. The dual-density polyurethane sole provides comfort for both outdoor and indoor environments.

TECHNICAL SHEET

NORMS

(EU) 2016/425

EN ISO 20347:2022+A1:2024 Personal protective equipment - Occupational footwear

EN IEC 61340-4-3:2018 Electrostatics: Standard test methods for specific application – Footwear

Category: O2 SR FO ESD

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA - Water penetration and absorption	✓	
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
The shoes do not contain metal parts	✓	
HRO - resistance to contact heatup to 300 °C		
insulation of the bottom of the shoe against heat		
insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
-		
-		
-		

**ARDON®****WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3448/35	8592390381446	11,50	1,150
G3448/36	8592390381453	11,66	1,166
G3448/37	8592390381460	11,80	1,180
G3448/38	8592390381477	11,96	1,196
G3448/39	8592390381484	12,11	1,211
G3448/40	8592390381491	12,36	1,236
G3448/41	8592390381507	12,56	1,256
G3448/42	8592390381514	12,76	1,276
G3448/43	8592390381521	12,95	1,295
G3448/44	8592390381538	13,08	1,308
G3448/45	8592390381545	13,28	1,328
G3448/46	8592390381552	13,47	1,347
G3448/47	8592390381569	13,72	1,372
G3448/48	8592390381576	13,93	1,393



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz