



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® CREATRON S3S ESD

SAFETY SHOES



ESD



DEFUSE
CONTROL



WATER
REPELLENT



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® CREATRON S3S ESD

SAFETY SHOES

ARTICLE

G3446

MATERIAL

Upper
Lining
Sole

highly durable PES fabric
laminated breathable fabric MESH
phylon/rubber, cemented technology

Toe cap
Plate
Insole

composite
kevlar
anatomic HI-POLY foam

SIZE

UNIT

PACKAGE

Units in a carton
Units in a box

36-48
pair

10 pairs
1 pair

DIMENSIONS

Carton H x W x D
(cm)
Carton (cbm)

35-42
64,5 x 33,5 x 60,5
0,1307

43-48
67 x 37,5 x 65,5
0,1646

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	248	254	260	267	273	280	286	292	299	305	311	318	-	-	-
Foot length cm	-	23,1	23,8	24,4	25,0	25,7	26,3	27,0	27,6	28,2	28,9	29,5	30,1	30,8	-	-	-

DESCRIPTION

Safety shoes with an upper made of highly durable PES textile, featuring a composite toe cap and a Kevlar puncture-resistant midsole. The footwear is equipped with the FITGO® quick-lacing system. The sole is made of phylon and rubber. ESD design protects against electrostatic discharge.

NORMS

(EU) 2016/425

EN ISO 20345:2022+A1 2024

Personal protective equipment –Safety footwear

Category

S3S SR FO ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
The shoes do not contain metal parts		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
WPA – water penetration and absorption		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
-		
-		
-		



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3446/36	8592390380432	15,90	1,590
G3446/37	8592390380449	16,15	1,615
G3446/38	8592390380456	16,45	1,645
G3446/39	8592390380463	16,70	1,670
G3446/40	8592390380470	16,90	1,690
G3446/41	8592390380487	18,35	1,835
G3446/42	8592390380494	18,80	1,880
G3446/43	8592390380500	19,00	1,900
G3446/44	8592390380517	19,35	1,935
G3446/45	8592390380524	20,05	2,005
G3446/46	8592390380531	20,50	2,050
G3446/47	8592390380548	21,00	2,100
G3446/48	8592390380555	21,70	2,170



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz